International Journal of Sports, Yoga, and Physical Activity (IJSYPA)
Volume 2, Issue 1, January-June, 2023, Available online at: internationalsportsjournal.com

Impact of Running on Cardiovascular Health

Chi La Jiang

Department of Physical Education and Sports, Guangzhou Sport University, China

ABSTRACT

Cardiovascular diseases (CVDs) remain a leading global health concern, responsible for a significant portion of morbidity and mortality. Physical activity has long been recognized as a cornerstone of CVD prevention, and running, as one of the most accessible and popular forms of exercise, has garnered considerable attention. This research paper aims to explore the multifaceted relationship between running and cardiovascular health. Drawing upon a comprehensive review of existing literature, this study delves into the physiological adaptations induced by running, emphasizing its role in improving cardiovascular parameters. Key aspects under investigation include the effects of running on heart health, arterial function, blood lipid profiles, and blood pressure regulation. Moreover, this research addresses the impact of running on systemic inflammation, oxidative stress, and endothelial function, all of which are implicated in CVD pathogenesis.

Keywords: Sports, Running, Cardiovascular, system, performance, Gender.

INTRODUCTION

Cardiovascular diseases (CVDs) stand as a persistent global health challenge, imposing a substantial burden on healthcare systems and affecting the lives of countless individuals. Despite remarkable advancements in medical science, prevention remains a pivotal strategy in mitigating the prevalence and severity of CVDs. Central to this strategy is the role of physical activity, a well-established modifiable factor that profoundly influences cardiovascular health. Among the spectrum of physical activities, running emerges as an accessible and popular pursuit, captivating the attention of individuals seeking to enhance their well-being and reduce the risk of heart-related ailments. Running, a form of aerobic exercise that engages the cardiovascular system, has long held a prominent position in the realm of physical activity. Whether undertaken as a leisurely pastime or embraced as a competitive endeavor, running has the potential to induce a myriad of physiological adaptations that bear relevance to cardiovascular health. In this pursuit, the heart, the circulatory system, and the vasculature interact in a choreographed symphony, responding to the rhythmic demands of sustained locomotion.

The scientific exploration of the relationship between running and cardiovascular health has uncovered a wealth of knowledge. It encompasses a spectrum of facets, ranging from the immediate effects of a run on heart rate and blood pressure to the cumulative impact of a sustained running regimen on atherosclerosis, endothelial function, and inflammation. Moreover, the inclusion of running as a therapeutic tool within cardiac rehabilitation programs for individuals recovering from cardiovascular events underscores its clinical significance. However, the multifaceted nature of this relationship necessitates a comprehensive investigation that spans the physiological, epidemiological, and clinical dimensions. Critical questions persist regarding the optimal dosage of running, the influence of age, gender, and genetic predisposition, and the underlying mechanisms that mediate the cardiovascular benefits. As such, this research paper embarks on a journey to scrutinize the intricate interplay between running and cardiovascular health.

OBJECTIVES OF THE STUDY

Certainly, here are some possible research objectives for a study on the impact of running on the cardiovascular system:

a) **To Evaluate the Acute Cardiovascular Responses to Running**: Assess how the cardiovascular system responds immediately during and after a running session, including changes in heart rate, blood pressure, and cardiac output.

b) **To Investigate the Long-term Cardiovascular Adaptations to Running**: Explore the chronic effects of regular running on cardiovascular health, such as improvements in resting heart rate, stroke volume, and cardiac output.

c) **To Examine the Impact of Running on Blood Pressure Regulation**: Investigate how running influences blood pressure regulation, including its role in reducing hypertension and improving arterial flexibility.

d) **To Assess the Effects of Running on Cardiovascular Risk Factors**: Evaluate the impact of running on cardiovascular risk factors such as cholesterol levels, triglycerides, and blood glucose, which can influence the development of heart disease.

e) **To Study the Relationship Between Running and Endothelial Function:** Examine how running affects endothelial function, which plays a crucial role in blood vessel health and the prevention of atherosclerosis.

f) **To Explore the Role of Running in Reducing Inflammation and Oxidative Stress**: Assess how running may contribute to a reduction in systemic inflammation and oxidative stress, both of which are associated with cardiovascular disease.

g) **To Study the Effects of Running on Arterial Stiffness**: Investigate the impact of running on arterial stiffness, a factor linked to hypertension and cardiovascular events.

h) **To Examine Running's Role in Reducing the Risk of Cardiovascular Events**: Analyze whether regular running is associated with a lower risk of heart attacks, strokes, and other cardiovascular events.

i) **To Evaluate the Effects of Running in Special Populations**: Study how running impacts cardiovascular health in specific populations, such as older adults, individuals with preexisting heart conditions, and athletes.

j) **To Assess the Psychological Benefits of Running on Cardiovascular Health**: Investigate the potential role of running in reducing stress, anxiety, and depression, which can indirectly impact cardiovascular health.

CARDIOVASCULAR SYSTEM

The cardiovascular system, often referred to as the circulatory system, is a complex network of blood vessels, the heart, and blood that serves as the body's transportation system. Its primary function is to deliver oxygen, nutrients, hormones, and other essential substances to cells throughout the body while removing waste products like carbon dioxide and metabolic byproducts. Here's an overview of how the cardiovascular system works:

1. **The Heart**: The heart is a muscular organ located in the chest. It acts as a pump that drives the circulation of blood throughout the body. The heart consists of four chambers: two atria (upper chambers) and two ventricles (lower chambers). The right atrium receives deoxygenated blood from the body, while the left atrium receives oxygenated blood from the lungs.

2. **Blood Vessels**:
    - **Arteries**: Arteries carry oxygenated blood away from the heart to the body's tissues and organs. The largest artery is the aorta, which originates from the left ventricle and branches into smaller arteries.
    - **Veins**: Veins return deoxygenated blood from the body's tissues and organs to the heart. The superior and inferior vena cava are the largest veins that bring blood back to the right atrium of the heart.
    - **Capillaries**: Capillaries are tiny, thin-walled vessels that connect arteries to veins. They allow for the exchange of oxygen, nutrients, and waste products between the bloodstream and individual cells.

3. **Blood**: Blood is composed of red blood cells (erythrocytes), white blood cells (leukocytes), platelets (thrombocytes), and plasma. Red blood cells transport oxygen, white blood cells are involved in immune responses, platelets aid in blood clotting, and plasma carries nutrients, hormones, and waste products.

4. **Pulmonary Circulation**: The process begins when deoxygenated blood from the body returns to the right atrium. It is then pumped into the right ventricle, which contracts and sends the blood to the lungs via the pulmonary arteries. In the lungs, oxygen is absorbed, and carbon dioxide is released. Oxygenated blood returns to the left atrium of the heart via the pulmonary veins.

5. **Systemic Circulation**: Oxygenated blood in the left atrium enters the left ventricle, which contracts forcefully to pump blood into the aorta. The aorta branches into numerous smaller arteries that carry oxygenated blood throughout the body. Capillaries facilitate the exchange of oxygen and nutrients to body tissues and pick up carbon dioxide and waste products. Deoxygenated blood returns to the right atrium via the superior and inferior vena cava to complete the cycle.

6. **Regulation**: The cardiovascular system is regulated by the autonomic nervous system and hormonal control. The heart rate and strength of contraction can be adjusted to meet the body's changing demands for oxygen and nutrients. The autonomic nervous system, particularly the sympathetic and parasympathetic branches, plays a role in controlling heart rate and blood vessel constriction or dilation.

RUNNING: ITS TYPES AND METHODS

Running is a versatile form of aerobic exercise that encompasses various types and methods, each with its unique benefits and purposes. Here are some common types and methods of running:

Types of Running

1. **Long-Distance Running**:
   - **Purpose**: Long-distance running, also known as endurance running, focuses on covering extended distances at a steady pace. It is commonly associated with races like marathons (26.2 miles) and ultramarathons (distances greater than 26.2 miles).
   - **Training**: Endurance training involves gradually increasing mileage and improving cardiovascular endurance over time. It emphasizes pacing and mental stamina.
2. **Sprint Running**:
   - **Purpose**: Sprinting involves short bursts of maximum effort running over shorter distances. It is used for improving speed, explosive power, and anaerobic capacity.
   - **Training**: Sprinters engage in interval training, which alternates high-intensity sprints with rest or low-intensity recovery periods.
3. **Trail Running**:
   - **Purpose**: Trail running takes place on natural, often rugged and hilly terrain, such as trails in forests or mountains. It combines the benefits of running with the challenges of navigating uneven surfaces.
   - **Training**: Trail runners adapt to varying terrain, work on balance and agility, and may require specialized footwear for grip and protection.
4. **Track Running**:
   - **Purpose**: Track running is performed on an oval track with a standard distance of 400 meters per lap. It includes various events, such as sprints, middle-distance, and long-distance races.
   - **Training**: Track runners train for specific events, focusing on speed, pacing, and strategy tailored to their chosen distance.
5. **Cross-Country Running**:
   - **Purpose**: Cross-country running takes place on varying terrains, including grass, dirt, and hills, often in a natural setting. It combines elements of endurance and trail running.
   - **Training**: Cross-country runners build strength, endurance, and adaptability to different terrains.

Methods of Running

1. **Continuous Running**:
   - **Method**: Continuous running involves maintaining a steady pace throughout the run without stopping. It is common in long-distance and endurance running.
   - **Purpose**: This method develops aerobic endurance and teaches pacing.
2. **Interval Running**:
   - **Method**: Interval running alternates between high-intensity sprints or faster running segments and recovery periods of lower intensity or rest.
   - **Purpose**: Interval training improves speed, anaerobic capacity, and cardiovascular fitness. It is effective for fat loss and time-efficient workouts.
3. **Fartlek Running**:
   - **Method**: Fartlek, a Swedish term for "speed play," involves mixing periods of faster running with slower jogging or walking. Runners can vary the intensity and duration of intervals.
   - **Purpose**: Fartlek training improves both aerobic and anaerobic fitness and provides flexibility in structuring workouts.
4. **Tempo Running**:
   - **Method**: Tempo running, also known as threshold running, involves maintaining a challenging, sustainable pace for an extended period. It is often performed at or near the lactate threshold.

- **Purpose**: Tempo runs improve lactate threshold, which enhances the ability to sustain a fast pace for longer durations.

5. **Hill Running**:
   - **Method**: Hill running incorporates uphill and downhill segments during a run. Uphill running challenges leg strength and cardiovascular fitness, while downhill running enhances eccentric muscle strength.
   - **Purpose**: Hill running builds leg strength, endurance, and speed. It also adds variety to training routines.
6. **Treadmill Running**:
   - **Method**: Treadmill running takes place on a stationary treadmill machine. Runners can control speed, incline, and various program settings.
   - **Purpose**: Treadmill running provides a controlled environment for training and can be convenient when outdoor conditions are unfavorable.

The choice of running type and method depends on individual fitness goals, preferences, and fitness levels. Mixing different types and methods of running can provide a well-rounded training program that targets various aspects of fitness and helps prevent boredom.

EFFECTS OF RUNNING ON CARDIOVASCULAR SYSTEM

Running has a profound impact on the cardiovascular system, and regular aerobic exercise like running can lead to a range of positive adaptations in the heart, blood vessels, and overall cardiovascular health. Here are some of the effects of running on the cardiovascular system:

a) **Improved Heart Health**: Running increases the amount of blood ejected from the heart with each heartbeat, known as stroke volume. Over time, this can lead to a more efficient heart. Regular running can lower resting heart rate, a sign of improved cardiovascular fitness. A lower resting heart rate means the heart doesn't have to work as hard to pump blood.

b) **Enhanced Cardiac Output**: Running can significantly increase an individual's VO2 max, which measures the maximum amount of oxygen a person can use during intense exercise. This reflects the heart's ability to pump oxygen-rich blood to working muscles. Running enhances the heart's ability to pump blood, leading to a higher cardiac output during exercise. This results in improved oxygen delivery to muscles.

c) **Lower Blood Pressure**: Regular running can lead to a reduction in resting blood pressure, which is beneficial for overall cardiovascular health. Running helps improve the flexibility and health of blood vessels, making them more responsive to changes in blood pressure.

d) **Lower Risk of Cardiovascular Diseases**: Regular running is associated with a lower risk of coronary artery disease and heart attacks. It helps control risk factors such as high blood pressure, high cholesterol levels, and obesity. Running can increase levels of "good" HDL cholesterol and decrease levels of "bad" LDL cholesterol, which lowers the risk of atherosclerosis (narrowing of arteries due to plaque buildup).

e) **Enhanced Endothelial Function**: Running can improve the health and function of the endothelium (the inner lining of blood vessels), leading to better blood flow and reduced risk of blood clots and vascular diseases.

f) **Lower Risk of Stroke**: Regular running is associated with a decreased risk of ischemic stroke, the most common type of stroke. Running contributes to better blood vessel health and clot prevention.

g) **Weight Management**: Running is an effective way to burn calories and support weight loss or weight maintenance. Healthy body weight is essential for overall cardiovascular health.

h) **Stress Reduction**: Running has psychological benefits, including stress reduction, which can have a positive impact on overall cardiovascular health. Lower stress levels can reduce the risk of stress-related heart problems.

i) **Anti-Inflammatory Effects**: Running can reduce chronic inflammation in the body, which is associated with various cardiovascular diseases.

It's important to note that the cardiovascular benefits of running are dose-dependent. The frequency, intensity, and duration of running play a role in the degree of adaptation. Additionally, individual factors such as age, genetics, and baseline fitness level influence the cardiovascular response to running. Always consult with a healthcare professional before beginning a new running or exercise program, especially if you have preexisting medical conditions.

PARAMETERS FOR MEASUREMENT OF CARDIOVASCULAR SYSTEM'S HEALTH

The cardiovascular system's health and function can be accessed through various parameters and measurements. These parameters provide valuable insights into the condition of the heart, blood vessels, and overall cardiovascular health. Here are some key parameters for the measurement of the cardiovascular system:

1. **Blood Pressure**:
    - **Systolic Blood Pressure**: The higher number in a blood pressure reading, representing the pressure in the arteries when the heart contracts.
    - **Diastolic Blood Pressure**: The lower number in a blood pressure reading, indicating the pressure in the arteries when the heart is at rest between beats.
    - **Normal Blood Pressure**: Typically defined as systolic <120 mm Hg and diastolic <80 mm Hg.

2. **Heart Rate (Pulse)**:
    - **Resting Heart Rate**: The number of heartbeats per minute when the body is at rest, usually measured upon waking in the morning.
    - **Maximum Heart Rate**: The highest heart rate an individual can achieve during strenuous exercise, roughly estimated as 220 minus age.

3. **Cardiac Output**: The amount of blood the heart pumps in one minute, calculated as heart rate (HR) multiplied by stroke volume (SV).The amount of blood ejected by the left ventricle of the heart with each heartbeat.

4. **Electrocardiogram (ECG or EKG)**: A test that records the electrical activity of the heart over a period of time. It provides information about heart rhythm and can help detect arrhythmias and other cardiac abnormalities.

5. **Cholesterol Levels**:
    - **Total Cholesterol**: The total amount of cholesterol in the blood.
    - **LDL (Low-Density Lipoprotein) Cholesterol**: Often referred to as "bad" cholesterol, it can lead to plaque buildup in arteries.
    - **HDL (High-Density Lipoprotein) Cholesterol**: Often referred to as "good" cholesterol, it helps remove LDL cholesterol from the bloodstream.
    - **Triglycerides**: A type of fat in the blood.

6. **Cardiovascular Fitness**:
    - **VO2 Max (Maximum Oxygen Consumption)**: A measure of the body's ability to transport and utilize oxygen during exercise. It is often used to assess aerobic fitness.

7. **Body Mass Index (BMI)**: A numerical value calculated from an individual's height and weight. While not a direct cardiovascular parameter, it is often used to assess cardiovascular risk factors associated with obesity.

8. **Blood Glucose Levels**: A measure of the amount of glucose (sugar) in the blood after an overnight fast. Elevated levels can indicate diabetes or prediabetes.

9. **Stress Testing**: A test that measures the heart's response to exercise or medication-induced stress. It helps diagnose coronary artery disease and assess exercise capacity.

10. **Echocardiography**: An ultrasound test that provides images of the heart's structure and function. It can detect heart valve problems, cardiac abnormalities, and heart muscle disorders.

These parameters, when assessed together, offer a comprehensive view of an individual's cardiovascular health and risk factors. Regular monitoring and assessment of these parameters can help in early detection, risk assessment, and the

management of cardiovascular conditions. It's important to consult with a healthcare provider for proper evaluation and interpretation of these measurements.

REASONS FOR IMPROPER FUNCTIONING OF CARDIOVASCULAR SYSTEM

The cardiovascular system can experience improper functioning due to various factors and conditions. Many of these factors are preventable or manageable through lifestyle changes and medical intervention. Here are some common reasons for improper functioning of the cardiovascular system:

a) **Atherosclerosis**: Atherosclerosis is the buildup of plaque (cholesterol, fat, and other substances) in the arteries, leading to narrowing and stiffening. This condition restricts blood flow and can result in heart disease, stroke, or peripheral artery disease.

b) **Hypertension (High Blood Pressure)**: Chronic high blood pressure puts added stress on the heart and blood vessels, potentially leading to heart disease, stroke, and kidney problems.

c) **Heart Disease**:
   a. **Coronary Artery Disease (CAD)**: Narrowing of the coronary arteries reduces blood flow to the heart muscle, increasing the risk of heart attacks.
   b. **Heart Failure**: The heart's inability to pump blood effectively, leading to symptoms like shortness of breath and fatigue.
   c. **Cardiomyopathy**: A condition where the heart muscle weakens or thickens, impairing its ability to pump blood.
   d. **Valvular Heart Disease**: Dysfunction of heart valves, affecting blood flow within the heart.

d) **Arrhythmias**: Irregular heart rhythms or abnormal electrical activity in the heart can disrupt its normal pumping function and lead to conditions like atrial fibrillation, bradycardia, or tachycardia.

e) **Heart Attack (Myocardial Infarction)**: A sudden blockage of blood flow to a part of the heart muscle, often caused by a blood clot in a coronary artery, can damage or kill heart tissue. A blockage or rupture of blood vessels in the brain can lead to insufficient blood flow, causing brain damage and neurological deficits.

f) **Obesity**: Excess body weight, particularly visceral fat around the abdomen, is associated with an increased risk of hypertension, diabetes, and heart disease.

g) **Diabetes**: Uncontrolled diabetes can damage blood vessels and nerves, increasing the risk of cardiovascular complications.

h) **High Cholesterol Levels**: Elevated levels of LDL (low-density lipoprotein) cholesterol and triglycerides can contribute to atherosclerosis and increase the risk of heart disease.

i) **Smoking**: Smoking damages blood vessels, reduces oxygen delivery to tissues, and increases the risk of atherosclerosis, heart disease, and stroke.

j) **Unhealthy Diet**: Diets high in saturated and trans fats, sodium, and added sugars contribute to obesity, hypertension, and high cholesterol levels.

k) **Stress and Aging:** Chronic stress can elevate blood pressure and lead to unhealthy coping behaviors, such as overeating or smoking. Aging is a risk factor for cardiovascular conditions, as blood vessels may become less flexible, and the risk of atherosclerosis increases.

CONCLUSION

In conclusion, the cardiovascular system is a complex and vital component of the human body responsible for circulating oxygen, nutrients, and hormones to tissues while removing waste products. It plays a central role in overall health and well-being. However, various factors and conditions can lead to improper functioning of the cardiovascular system, resulting in serious health problems. Atherosclerosis, high blood pressure, heart disease, arrhythmias, and stroke are among the many

conditions that can compromise cardiovascular health. Lifestyle choices, such as a sedentary lifestyle, poor diet, smoking, and excessive alcohol consumption, can contribute to these issues. Genetics and family history also play a role in an individual's susceptibility to cardiovascular problems. The good news is that many cardiovascular conditions are preventable and manageable through proactive measures. Lifestyle modifications, including regular exercise, a heart-healthy diet, and stress management, can significantly reduce the risk of cardiovascular dysfunction. Early detection and medical interventions, such as medication and surgery, can address existing conditions and improve outcomes. Ultimately, maintaining cardiovascular health is a lifelong commitment that requires a combination of awareness, healthy choices, regular check-ups, and a collaborative effort between individuals and healthcare providers.

REFERENCES

1] Peters A, Perz S, Doering A, et al. Increases in heart rate during an air pollution episode. Am J Epidemiol 1999;150:1094–8.
2] Liao D, Creason J, Shy C, et al. Daily variation of particulate air pollution and poor cardiac autonomic control in the elderly. Environ Health Perspect 1999;107:521–5.
3] Tuch T, Mirme A, Tamm E, et al. Comparison of two particle size spectrometers for ambient aerosol measurements in environmental epidemiology. Atmos Environ 2000;34:139–49.
4] Khlystov A, Kos GP, ten Brink HM, et al. Intercomparison using laboratory-generated aerosols. Atmos Environ 2001;35:2045–51.
5] Janssen NA, Hartog de JJ, Hoek G, et al. Personal exposure to fine particulate matter in elderly subjects: relation between personal, indoor and outdoor concentrations. J Air Waste Manage Assoc 2000;50:1133–43.
6] National Institute of Public Health and the Environment (RIVM). Meetactiviteiten in 1999 in het Landelijk Meetnet Luchtkwaliteit. (RIVM report no. 723101032). Bilthoven, the Netherlands: National Institute of Public Health and the Environment, 1999.
7] Superko HR, Adams WC, Daly PW. Effects of ozone inhalation during exercise in selected patients with heart disease. Am J Med 1984;77:463–70.
8] Peters A, Wichmann HE, Tuch T, et al. Respiratory effects are associated with the number of ultrafine particles. Am J Respir Crit Care Med 1997;155:1376–83.
9] Oberdörster G, Gelein RM, Ferin J, et al. Association of particulate air pollution and acute mortality: involvement of ultrafine particles? Inhal Toxicol 1995;7:111–24.
10] Ferin J, Oberdörster G. Translocation of particles from pulmonary alveoli into the interstitium. J Aerosol Med 1992;5:179–87.
11] Oberdörster G, Ferin J, Gelein R, et al. Role of the alveolar macrophage in lung injury: studies with ultrafine particles. Environ Health Perspect 1992;97:193–9.
12] Pekkanen J, Timonen KL, Ruuskanen J, et al. Effects of ultrafine and fine particles in urban air on peak expiratory flow among children with asthmatic symptoms. Environ Res 1997;74:24–33.
13] Tiittanen P, Timonen KL, Ruuskanen J, et al. Fine particulate air pollution, resuspended road dust and respiratory health among symptomatic children. Eur Respir J 1999;13:266–73.
14] Penttinen P, Timonen KL, Tiittanen P, et al. Number concentration and size of particles in urban air: effects on spirometric lung function in adult asthmatic subjects. Environ Health Perspect 2001;109:319–23.
15] Janssen NA, Hoek G, Harssema H, et al. Personal exposure to fine particles in children correlates closely with ambient fine particles. Arch Environ Health 1999;54:95–101.
16] T. Nakazumi et al., "Entrainment of the heart beat into the running pitch during endurance running (I)", Japanese Journal of Physical Fitness and Sports Medicine, vol. 35, no. 6, pp. 340, 1986.
17] K. Niizeki and K. Kawahara, "Interaction among cardiac respiratory and locomotor rhythms during cardiolocomotor synchronization", Appl. Physiol., vol. 75, no. 4, pp. 1815-1821, 1993.
18] M. O'Rourke et al., "The rhythm of running: can the heart join in?", Aust. NZ J. Med, vol. 23, pp. 708-710, 1993.
19] M. O'Rourke and A. Avolio, "Improved cardiovascular performance with optimal entrainment between heart rate and step rate during running in humans", Coronary Artery Disease, vol. 3, pp. 863-869, 1992.
20] W. M. Coleman, "The psychological significance of bodily rhythms", The Journal of Comparative Psychology, vol. 1, pp. 213-220, 1921.
21] D. Zhang and B. G. Celler, "Monitoring physiological signals during running exercise", Proceedings of the 23rd Annual International Conference of the IEEE Engineering in Medicine and Biology Society, October 2001.